

Utility Patent
Ser. No. 09/833,978

BEFORE THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Jerry A. Jenks)

Serial No.: 09/833,978)

Filed: 04/12/2001)

Title: Electrical Interrupt Switch)

Date: September 8, 2002

Group Art Unit: 2833

Examiner: Luebke, R.S.

#3/a
9/17/02
RECEIVED
SEP 13 2002
TECHNOLOGY CENTER 2800

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. (703)-305-7687 on 9-10-02 (date).

Printed name of person signing this certificate

TERRY LAKOS
Signature Terry Lakos

Hon. Commissioner of Patents and Trademarks
Washington, D.C. 20231

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC 20231 on 9-10-02 (date).

Typed or printed name of person signing this certificate

TERRY LAKOS
Signature Terry Lakos

OFFICIAL**FAX RECEIVED**

SEP 10 2002

GROUP 3600**AMENDMENT**

Dear Sir:

In response to the communication from the Examiner dated 06/12/2002, please amend the application identified above as follows.

Utility Patent
Ser. No. 09/833,978

In the Drawings

In accordance with 37 C.F.R. § 1.123, a separate request for correction of drawings has been submitted in conjunction with this amendment. As required by 35 U.S.C. § 132 and 37 C.F.R. § 1.118, care has been exercised to avoid introduction of anything which could be construed to be new matter.

In the Specification

On page 6, lines 11, delete the numeral "16" and replace with -- 16a --.

On page 6, lines 11, delete "spring urged against" and replace with -- biased toward --.

On page 6, line 12, after the phrase "side of body 44 such that as", insert -- the --

On page 6, line 12, after the phrase "is articulated," and before the phrase "electrical continuity" insert -- the first electrical conductive contact 46 engages the blade connectors 14 at one end and engages a second electrical conductive contact 48 at an opposite end, thereby creating --.

On page 6, line 12, after the phrase "electrical continuity" delete "is".

On page 6, line 13, delete "created".

On page 6, line 13, delete the phrase "connector 18" and replace with -- connectors 16a --

On page 6, line 14, after the phrase "the first contact 46" insert -- and --.

On page 6, line 14, after the word "to" insert -- the --

On page 6, line 15, delete "a".

Utility Patent
Ser. N . 09/833,978

On page 6, line 16, delete the word "is" and replace with -- are --

On page 6, line 18, after the word "should" insert -- an electrical interrupt --